



**RE: Siltronic Presentation**

**James Peale** to: Kristine Koch

05/28/2008 05:03 PM

"Gladstone, Alan", Rene Fuentes, "McCue, Tom", Sean Sheldrake,  
Cc: "BAYUK Dana", "ANDERSON Jim M", "MCCLINCY Matt", "LARSEN  
Henning", "GAINER Tom"

---

1 attachment



SSA-Fe.pdf

---

Kristine - Thanks for making the trip down for the meeting. As requested, attached please find a pdf of the presentation from our meeting yesterday.

Please feel free to call or email if there are remaining questions regarding the iron geochemistry.

James G.D. Peale, RG  
Senior Hydrogeologist  
Maul Foster & Alongi, Inc.  
3121 SW Moody Ave Ste 200  
Portland OR 97239  
(o) 971-544-2139 x 2118  
(f) 971-544-2140  
(c) 503-449-9576  
[www.mfainc.org](http://www.mfainc.org)

NOTICE: This email, and any attachments, is intended only for use by the named addressee(s) and may contain information that is privileged, confidential or otherwise protected from disclosure. If you are not the intended recipient or the person responsible to deliver it to the intended recipient, you are hereby notified that any dissemination, distribution or copying of this email, and any attachments, is strictly prohibited. If you have received this email in error, please immediately notify the sender by reply email and permanently delete and/or destroy the original and all copies. Written MFA authorization is required for modification of final electronic work products. Distribution to others of any MFA electronic work products, whether or not they are modified, is prohibited without the express written consent of MFA.

-----Original Message-----

From: Koch.Kristine@epamail.epa.gov  
[mailto:Koch.Kristine@epamail.epa.gov]  
Sent: Wednesday, May 28, 2008 3:33 PM  
To: James Peale  
Cc: Gladstone, Alan; Fuentes.Rene@epamail.epa.gov; McCue, Tom;  
Sheldrake.Sean@epamail.epa.gov  
Subject: Siltronic Presentation

James - Could you please send the presentation you gave yesterday?

Additionally, EPA would be very interested in performing an early action if Siltronic wanted to put together a proposal. Let us know if Siltronic would like to pursue that option and we can discuss further.

Thanks for the presentation yesterday - it was very good and we are dismayed that we couldn't support the EIB injection at the bank. We do believe that absent the urgency for controlling the NW Natural sources that it would be a viable option. However, we just cannot afford more delays by NW Natural on their upland source control and saw this as a potential for them to delay further.

Kristine Koch  
Remedial Project Manager  
USEPA, Office of Environmental Cleanup

U. S. Environmental Protection Agency  
Region 10  
1200 Sixth Avenue, Suite 900, M/S ECL-115  
Seattle, Washington 98101-3140

(206)553-6705  
(206)553-0124 (fax)  
1-800-424-4372 extension 6705 (M-F, 8-4 Pacific Time, only)